



Momentive Performance Materials Inc.

260 Hudson River Road
Waterford, NY 12188
momentive.com

March 1, 2013

USEPA (MC: 2254A)
International Compliance Assurance Division
1200 Pennsylvania Avenue, NW
Washington, D.C. 20460

Regulatory Development Section
New York State Department of Environmental Conservation
625 Broadway
Albany, NY 12233

RE: Annual Hazardous Waste Export Report – Year 2012
Facility No. NYD002080034

Dear Sir/Madam:

In accordance with 40 CFR Part 262.56 [6 NYCRR 372.5(f)], please find listed below the annual report for hazardous waste exported during calendar year 2012:

Exporter EPA ID:	NYD002080034
Exporter Facility Name:	MPM Silicones, LLC
Exporter Site Address:	260 Hudson River Road Waterford, NY 12188
Exporter Mailing Address:	MS 19/32 260 Hudson River Road Waterford, NY 12188
Calendar Year Covered by This Report:	2012
Name and Address of Each Consignee:	Stablex Canada 760 Industrial Blvd. Blainville, Quebec Canada
	St. Marys Cement 585 Water Street South St. Marys, Ontario Canada N4X 1B6
Material Shipped By Consignee:	Stablex – Blainville, Quebec:
Description of Hazardous Waste:	Incinerator Clinker
EPA Hazardous Waste Numbers:	F002, F003, F005, F039
DOT Hazard Class:	9
EPA ID Numbers of Transporters Used:	MID980619936
Total Tons Shipped per Notification 3274/8E/11:	455.71
Total Shipments per Notification 3274/8E/11:	27
Total Tons Shipped per Notification 5277/7E/12:	122.25
Total Shipments per Notification 5277/7E/12:	5

received
SDN 3/1/2013

	St. Marys – St. Marys, Ontario:
Description of Hazardous Waste:	Wastewater Treatment Plant Sludge
EPA Hazardous Waste Numbers:	F002, F003, F005, F039
DOT Hazard Class:	9
EPA ID Numbers of Transporters Used:	MID980619936
Total Tons Shipped per Notification 2557/4E/11:	6,044.58
Total Shipments per Notification 2557/4E/11:	218
Total Tons Shipped per Notification 4608/4E/12:	12,788.49
Total Shipments per Notification 4608/4E/12:	450

Efforts to Reduce the Volume and Toxicity of the Waste Generated:

This waste is hazardous by application of 40 CFR 261.3(c)(2)(i). The sludge generated from our facility contains 40% – 65% silica and calcium, which are necessary raw materials for cement manufacturing. The Lafarge and St. Marys facilities use this material as a raw material in their cement manufacturing process. Therefore, the material has a beneficial use as opposed to land filling.


Efforts to reduce the volume of the originally generated wastes prior to incineration are reported in the facility Hazardous Waste Reduction Plan that will be updated by July 1, 2013 in accordance with New York regulations and the facility Hazardous Waste Management Permit. Data is not available prior to 1984 for comparison.

Certification:

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Please feel free to contact me at 518-233-3536 if you have any questions.

Sincerely,




Kirsten M. Pink
Waste Regulatory Leader

cc: W. Collins/MPM
J. Buhmann/MPM

MOMENTIVE™

Momentive Performance Materials Inc.
260 Hudson River Rd
Waterford, NY 12188
momentive.com

7011 1570 0000 4820 7856



CERTIFIED MAIL™


PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT
OF THE RETURN ADDRESS, FOLD AT DOTTED LINE

343

U.S. POSTAGE & PAYMENT SERVICES
ZIP 12188 \$ 006.70⁰
02 1W
0001368397 MAR 02 2013



USEPA (MC: 2254A)
International Compliance Assurance Division
1200 Pennsylvania Avenue, NW
Washington, D.C. 20460



7011157000048207856



Certified

Department: 2254A

Mailstop ARIEL RIOS SOUTH

To: USEPA

Route **EPA Mail**